

CID Book 4 - Procedures for Capacity and Traffic Management



Corridor Rhine – Alpine
Version 1.1

2020 timetable year



Version Control

Version number	Chapter changed	Changes	X marks, which part in the chapter concerned has been changed	
final			Common part	Corridor-specific part
final_V01		Yellow marked are open links and points to be approved		X
final_V01.1	3.7.4.2	Yellow marks deleted Reference 4: new 499 Euro		X

Table of contents

1	Introduction	7
2	Corridor OSS.....	8
2.1	Function.....	8
2.2	Contact	8
2.3	Corridor language	8
2.4	Tasks of the C-OSS.....	8
2.4.1	Path register	10
2.5	Tool	10
3	Capacity allocation	10
3.1	Framework for Capacity Allocation.....	11
3.2	Applicants	11
3.3	Requirements for requesting capacity.....	12
3.4	Annual timetable phase	13
3.4.1	Products	13
3.4.1.1	PaPs.....	13
3.4.1.2	Schematic corridor map.....	14
3.4.1.3	Features of PaPs.....	15
3.4.1.4	Multiple corridor paths	16
3.4.1.5	PaPs on overlapping sections.....	17
3.4.1.6	Feeder, outflow and tailor-made paths.....	17
3.4.2	Handling of requests.....	18
3.4.2.1	Leading tool for the handling of capacity requests	18
3.4.2.2	Check of the applications.....	18
3.4.3	Pre-booking phase	19
3.4.3.1	Priority rules in capacity allocation	20
3.4.3.2	Network PaP.....	20
3.4.3.3	Priority rule in case no Network PaP is involved	20
3.4.3.4	Priority rule if a Network PaP is involved in at least one of the conflicting requests.....	21
3.4.3.5	Random selection	22
3.4.3.6	Special cases of requests and their treatment	22
3.4.3.7	Result of the pre-booking.....	23
3.4.3.8	Handling of non-requested PaPs	23
3.4.4	Path elaboration phase.....	24
3.4.4.1	Preparation of the (draft) offer.....	24
3.4.4.2	Draft offer	24
3.4.4.3	Observations	24

3.4.4.4 Post-processing	25
3.4.5 Final offer	25
3.5 Late path request phase	25
3.5.1 Product.....	25
3.5.1.1 Multiple corridor paths	26
3.5.1.2 Late paths on overlapping sections.....	26
3.5.2 Handling of requests.....	26
3.5.2.1 Leading tool for late path requests.....	26
3.5.2.2 Check of the applications.....	26
3.5.3 Pre-booking	26
3.5.4 Path elaboration	27
3.5.4.1 Draft offer	27
3.5.4.2 Observations	27
3.5.4.3 Post-processing.....	27
3.5.5 Final offer	27
3.6 Ad-hoc path request phase.....	27
3.6.1 Product.....	27
3.6.1.1 Reserve capacity (RC).....	27
3.6.1.2 Multiple corridor paths	28
3.6.1.3 Reserve capacity on overlapping sections	28
3.6.1.4 Feeder, outflow and tailor-made paths.....	28
3.6.2 Handling of requests.....	28
3.6.2.1 Leading tool for ad-hoc requests.....	28
3.6.2.2 Check of the applications.....	29
3.6.3 Pre-booking	29
3.6.4 Path elaboration	29
3.6.5 Final offer	29
3.7 Request for changes by the applicant	29
3.7.1 Modification	29
3.7.2 Withdrawal	30
3.7.2.1 Overview of withdrawal fees and deadlines	30
3.7.3 Transfer of capacity.....	31
3.7.4 Cancellation	31
3.7.4.1 Addressing and form of a cancellation	31
3.7.4.2 Overview of cancellation fees and deadlines	31
3.7.5 Unused paths	32
3.7.5.1 Overview of fees and deadlines for unused paths.....	32

3.8	Exceptional transport and dangerous goods	32
3.8.1	Exceptional transport.....	32
3.8.2	Dangerous goods	32
3.9	Rail related services	33
3.10	Contracting and invoicing.....	33
3.11	Appeal procedure	33
4	Coordination and publication of planned temporary capacity restrictions.....	34
4.1	Goals	34
4.2	Legal background	34
4.3	Coordination process.....	34
4.3.1	Coordination	34
4.3.1.1	First level coordination.....	34
4.3.1.2	Criteria for initiating coordination on Corridor level.....	35
4.4	Conflict resolution process.....	35
4.5	Involvement of applicants	35
4.6	Publication	36
4.6.1	Criteria for publication.....	36
4.6.2	Dates of publication.....	36
4.6.3	Tool for publication	37
4.7	Legal disclaimer.....	37
5	Traffic management	37
5.1	Cross-border section information	38
5.1.1	Technical features and operational rules	38
5.1.2	Cross-border agreements.....	39
5.2	Priority rules in traffic management.....	39
5.3	Traffic management in the event of disturbance	39
5.3.1	Communication procedure.....	40
5.3.2	Operational scenarios within RFC in the event of disturbance	40
5.3.3	Allocation rules in the event of disturbance.....	40
5.4	Traffic restrictions	40
5.5	Dangerous goods	41
5.6	Exceptional transport.....	41
6	Train performance management	41
	Annex 4.A Framework for Capacity Allocation	42
	Annex 4.B Table of deadlines	60
	Annex 4.C Map of Corridor Rhine - Alpine	61
	Annex 4.D Specialities on specific PaP sections on Corridor Rhine - Alpine	62

Annex 4.D-1 Netherland; ProRail	62
Annex 4.D-2 Belgium; Infrabel	62
Annex 4.D-3 Germany; DB Netz AG	62
Annex 4.D-4 Border Area Basel; DB Netz AG / SBB.....	62
Annex 4.D-5 Switzerland; SBB / BLS / trasse.ch.....	62
Annex 4.D-6 Italy; RFI.....	63
Annex 4.D-7 Coordination Germany-Italy-Switzerland (COGIS Paths)	64
Annex 4.E Table of distances (PaP sections)	65

1 Introduction

This CID Book 4 describes the procedures for capacity allocation by the Corridor One-Stop-Shop (C-OSS established by the Management Board (MB) of Corridor Rhine - Alpine consisting of the Infrastructure Managers (IMs) / Allocation Bodies (ABs) on the Corridor), planned Temporary Capacity Restrictions (TCRs), Traffic Management and Train Performance Management on the Rail Freight Corridors.

All rules concerning applicants, the use of the C-OSS and its products — Pre-Arranged Paths (PaPs) and Reserve Capacity (RC) — and how to order them are explained here. The processes, provisions and steps related to PaPs and RC refer to the Regulation (EU) No 913/2010 and are valid for all applicants. For all other issues, the relevant conditions presented in the Network Statements of the IMs/ABs concerned are applicable.

In addition, specific rules and terms on capacity allocation are applicable to parts of the corridors which the management board of the particular corridors decide upon. These rules and terms are described and defined in Annex 4 of the *Framework for Capacity Allocation* document and refer to the pilot that is being conducted to test the results of the RNE-FTE project 'Redesign of the international timetabling process' (TTR) on the following lines:

The lines concerned are

- RFC North Sea-Mediterranean: Rotterdam - Antwerp
- RFC Scandinavian-Mediterranean: Munich - Verona
- RFC Atlantic: Mannheim - Miranda de Ebro



RFC Rhine-Alpine does not participate within an TTR pilot.

For all other sections of the above corridors, the rules described in this Book 4 apply.

This document is revised every year and it is updated before the start of the yearly allocation process for PaPs. Changes in the legal basis of this document (e.g. changes in EU regulations, Framework for Capacity Allocation or national regulations) will be implemented with each revision. Any changes during the running allocation process will be communicated directly to the applicants through publication on Corridor Rhine - Alpine's website.

For ease of understanding and to respect the particularities of some corridors, common procedures are always written at the beginning of a chapter. The particularities of Corridor Rhine - Alpine are placed under the common texts and marked as shown below.



The corridor specific parts are displayed in this frame.

A general glossary can be found in the annex of the CID Book 1 containing relevant terms and abbreviations for this Book 4, which is available on the website of the Corridor under the following link.



The Glossary can be found under:

<http://www.rne.eu/rneinhalt/uploads/Corridor-Information-Documents-Common-Texts-And-Structure-Harmonised-Book-1-Annex-A.1-Common-CID-Glossary-1.xlsx>


2 Corridor OSS

According to Article 13 of the Regulation (EU) No 913/2010, the MB of Corridor Rhine - Alpine has established a C-OSS. The tasks of the C-OSS are carried out in a non-discriminatory way and maintain confidentiality regarding applicants.

2.1 Function


The C-OSS is the only body where applicants may request and receive the dedicated infrastructure capacity for international freight trains on Corridor Rhine - Alpine. The handling of the requests takes place in a single place and a single operation. The C-OSS is exclusively responsible for performing all the activities related to the publication and allocation decision with regard to requests for PaPs and RC on behalf of the IMs / ABs concerned.

2.2 Contact

	
Address	C-OSS Corridor Rhine - Alpine c/o Mr. Martin Ruiz Mainzer Landstraße 201 - 203 D-60326 Frankfurt am Main Germany
Phone	+49 69 265 26771
Email	oss@corridor-rhine-alpine.eu

2.3 Corridor language

The official language of the C-OSS for correspondence is English.


The only official language of the C-OSS for correspondence is English.

2.4 Tasks of the C-OSS

The C-OSS executes the tasks below during the following processes:

- Collection of international capacity wishes:
 - Consult all interested applicants in order to collect international capacity wishes and needs for the annual timetable by having them fill in a survey. This survey will be sent by the C-OSS to the applicants and/or published on the Corridor's website. The results of the survey will be one part of the inputs for the predesign of PaP offer. It is important to stress that under no circumstances the Corridor can guarantee the fulfilment of all expressed capacity wishes, nor will there be any priority in allocation linked to the provision of similar capacity.
- Predesign of PaP offer:
 - Give advice on the capacity offer, based on input received from the applicants, and the experience of the C-OSS and IMs/ABs, based on previous years and the results of the Transport Market Study

- Construction phase
 - Monitor the PaP/RC construction to ensure harmonised border crossing times, running days calendar and train parameters
- Publication phase
 - Publish the PaP catalogue at X-11 in the Path Coordination System (PCS)
 - Inspect the PaP catalogue in cooperation with IMs/ABs, perform all needed corrections of errors detected by any of the involved parties until X-10.5
 - Publish offer for the late path request phase (where late path offer is applicable) in PCS
 - Publish the RC at X-2 in PCS
- Allocation phase: annual timetable (annual timetable process)
 - Collect, check and review all requests for PaPs including error fixing when possible
 - Create a register of the applications and keep it up-to-date
 - Manage the resolution of conflicting requests through consultation where applicable
 - In case of conflicting requests, take a decision on the basis of priority rules adopted by the Executive Board (Ministries responsible for transport) along Corridor Rhine - Alpine (see Framework for Capacity Allocation (FCA) in Annex 4.A)
 - Propose alternative PaPs, if available, to the applicants whose applications have a lower priority value (K value) due to a conflict between several path requests
 - Transmit path requests that cannot be treated to the IM/AB concerned, in order for them to elaborate tailor-made offers
 - Pre-book capacity and inform applicants about the results at X-7.5
 - Allocate capacity (PaPs) in conformity with the relevant international timetabling deadlines and processes as defined by RailNetEurope (RNE) and according to the allocation rules described in the FCA
 - Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction
 - Send the responses/offers (draft offer and final offer including feeder and outflow) to the applicants on behalf of the IMs/ABs concerned
 - Keep the PaP catalogue updated
- Allocation phase: late path requests (annual timetable process)
 - Collect, check and review all requests for the late path request phase – where applicable - including error fixing when possible
 - Allocate capacity for the late path request phase – where applicable
 - Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction
 - Send the responses/offers to the applicants on behalf of the IMs/ABs concerned

- Keep the concerned catalogue updated
- Allocation phase: ad-hoc requests (RC) (running timetable process)
 - Collect, check and review all requests for RC including error fixing when possible
 - Create a register of the applications and keep it up-to-date
 - Allocate capacity for RC
 - Monitor the construction of feeder and/or outflow paths by sending these requests to the IMs/ABs concerned and obtain their responses/offers. In case of non-consistent offers (e.g. non-harmonised border times), ask for correction
 - Send the responses/offers to the applicants on behalf of the IMs/ABs concerned
 - Keep the RC catalogue updated

2.4.1 Path register

The C-OSS manages and keeps a path register up-to-date for all incoming requests, containing the dates of the requests, the names of the applicants, details of the documentation supplied and of incidents that have occurred. A path register shall be made freely available to all concerned applicants without disclosing the identity of other applicants, unless the applicants concerned have agreed to such a disclosure. The contents of the register will only be communicated to them on request.

2.5 Tool

PCS is the single tool for publishing the binding PaP and RC offer of the corridor and for placing and managing international path requests on the corridor. Access to the tool is free of charge and granted to all applicants who have a valid, signed PCS User Agreement with RNE. To receive access to the tool, applicants have to send their request to RNE via support.pcs@rne.eu.

Applications for PaPs/RC can only be made via PCS to the involved C-OSS. If the application is made directly to the IMs/ABs concerned, they inform the applicant that they have to place a correct PaP request in PCS via the C-OSS according to the applicable deadlines. PaP capacity requested only through national tools will not be allocated.

In other words, PaP/RC applications cannot be placed through any other tool than PCS.

3 Capacity allocation


The decision on the allocation of PaPs and RC on the corridor is taken by the C-OSS on behalf of the IMs/ABs concerned. As regards feeder and/or outflow paths, the allocation decision is made by the relevant IMs/ABs and communicated to the applicant by the C-OSS. Consistent path construction containing the feeder and outflow sections and the corridor-related path section has to be ensured.

All necessary contractual relations regarding network access have to be dealt with bilaterally between the applicant and each individual IM/AB.

3.1 Framework for Capacity Allocation

Referring to Article 14.1 of Regulation (EU) No 913/2010, the Executive Boards of the Rail Freight Corridors agreed upon a common Framework: “Decision of the Executive Board of Rail Freight Corridor Rhine - Alpine adopting the Framework for capacity allocation on the Rail Freight Corridor” (FCA), which was signed by representatives of the ministries of transport on (20-11-2018). The document is available under:

- Annex 4.A Framework for Capacity Allocation


The Framework for Capacity Allocation can be found under the following link: FCA

The FCA constitutes the legal basis for capacity allocation by the C-OSS.

3.2 Applicants

In the context of a Corridor, an applicant means a railway undertaking or an international grouping of railway undertakings or other persons or legal entities, such as competent authorities under Regulation (EC) No 1370/2007 and shippers, freight forwarders and combined transport operators, with a commercial interest in procuring infrastructure capacity for rail freight.

Applicants shall accept the general terms and conditions of the Corridor in PCS before placing their requests.

Without accepting the general terms and conditions, the applicant will not be able to send the request. In case a request is placed by several applicants, every applicant requesting PaP sections has to accept the general terms and conditions for each corridor on which the applicant is requesting a PaP section. In case one of the applicants only requests a feeder or outflow section, the acceptance of the general terms and conditions is not needed.


The acceptance shall be done only once per applicant and per corridor and is valid for one timetable period.

With the acceptance the applicant declares that it:

- has read, understood and accepted the Corridor Rhine - Alpine CID and, in particular, its Book 4,
- complies with all conditions set by applicable legislation and by the IMs/ABs involved in the paths it has requested, including all administrative and financial requirements,
- shall provide all data required for the path requests,
- accepts the provisions of the national Network Statements (NS) applicable to the path(s) requested.

In case of a non-RU applicant, it shall appoint the RU that will be responsible for train operation and inform the C-OSS and IMs/ABs about this RU as early as possible, but at the latest 30 days before the running day. If the appointment is not provided by this date, the PaP/RC is considered as cancelled, and national rules for path cancellation are applicable.

In case the applicant is a non-RU applicant, and applies for feeder / outflow paths, the national rules for nomination of the executing RU will be applied. In the table below the national deadlines for nomination of the executing RU feeder / outflow paths can be found.

	
An overview of the deadlines of the IMs/ABs on Corridor Rhine - Alpine (extract from the different Network Statements) is listed below.	
IM	Deadline
ProRail; Netherlands	30 days before running day
Infrabel; Belgium	7 days before first running day
DB Netz AG; Germany	30 days before first running day
SBB / BLS / trasse.ch; Switzerland	30 days before first running day
RFI; Italy	30 days before running day

3.3 Requirements for requesting capacity

Corridor Rhine - Alpine applies the international timetabling deadlines defined by RNE for placing path requests as well as for allocating paths (for the calendar, see <http://www.rne.eu/sales-timetabling/timetabling-calender/> or Annex 4.B)


All applications have to be submitted via PCS, which is the single tool for requesting and managing capacity on all corridors. The C-OSS is not entitled to create PCS dossiers on behalf of the applicant. If requested the C-OSS can support applicants in creating the dossiers in order to prevent inconsistencies and guide the applicants' expectations (until X-8.5, maximum 1 week prior to the request deadline). The IMs/ABs may support applicants by providing a technical check of the requests.

A request for international freight capacity via the C-OSS has to fulfil the following requirements:

- it must be submitted to a C-OSS by using PCS, including at least one PaP/RC section (for access to PCS, see chapter 2.5. Details are explained in the PCS User Manual <http://cms.rne.eu/pcs/pcs-documentation/pcs-basics>)
- it must cross at least one border on a corridor
- it must comprise a train run from origin to destination, including PaP/RC sections on one or more corridors as well as feeder and/or outflow paths, on all of its running days. In certain cases, which are due to technical limitations of PCS, a request may have to be submitted in the form of more than one dossier. These specific cases are the following:
 - Different origin and/or destination depending on running day (But using identical PaP/RC capacity for at least one of the IMs for which capacity was requested).
 - Transshipment from one train onto different trains (or vice versa) because of infrastructure restrictions.
 - The IM/AB specifically asks the applicant to split the request into two or more dossiers.
 - To be able for the C-OSS to identify such dossiers as one request, and to allow a correct calculation of the priority value (K value) in case a request has to be submitted in more than one dossier, the applicant should indicate the link among

these dossiers in PCS. Furthermore, the applicant should mention the reason for using more than one dossier in the comment field.

- the technical parameters of the path request have to be within the range of the parameters – as originally published – of the requested PaP sections (exceptions are possible if allowed by the IM/AB concerned, e.g. when the timetable of the PaP can be respected)
- as regards sections with flexible times, the applicant may adjust/insert times, stops and parameters according to its individual needs within the given range.


<p>No corridor specific requirements for additional cases on RFC Rhine – Alpine.</p>

3.4 Annual timetable phase


3.4.1 Products

3.4.1.1 PaPs

PaPs are a joint offer of coordinated cross-border paths for the annual timetable produced by IMs/ABs involved in the Corridor. The C-OSS acts as a single point of contact for the publication and allocation of PaPs.


PaPs constitute an off-the-shelf capacity product for international rail freight services. In order to meet the applicants' need for flexibility and the market demand on Corridor Rhine - Alpine, PaPs are split up in several sections, instead of being supplied as entire PaPs, as for example from Rotterdam, Vlissingen, Antwerp and Zeebrugge to Genoa. Therefore, the offer might also include some purely national PaP sections – to be requested from the C-OSS for freight trains crossing at least one border on a corridor in the context of international path applications.

A catalogue of PaPs is published by the C-OSS in preparation of each timetable period. It is published in PCS and on the Corridor's website.


<p>The PaP catalogue can be found under the following link: PaP catalogue</p>

PaPs are published in PCS at X-11. Between X-11 and X-10.5 the C-OSS is allowed to perform, in PCS, all needed corrections of errors regarding the published PaPs detected by any of the involved parties. In this phase, the published PaPs have 'read only' status for applicants, who may also provide input to the C-OSS regarding the correction of errors.

3.4.1.2 Schematic corridor map



Symbols in schematic corridor map:

Nodes along the Corridor Rhine - Alpine, shown on the schematic map, are divided into the following types:

➤ **Handover Point**

Point where planning responsibility is handed over from one IM to another. Published times cannot be changed.

In case there are two consecutive Handover Points, only the departure time from the first Handover Point and the arrival time at the second Handover Point cannot be changed.

On the maps, this is shown as:

- □ Handover Point

➤ **Intermediate Point**


Feeder and outflow connections are possible. If the path request ends at an intermediate point without indication of a further path, feeder/outflow or additional PaP section, the destination terminal / parking facility of the train can be mentioned. Intermediate Points also allow stops for train handling, e.g. loco change, driver change, etc. An Intermediate Point can be combined with a Handover Point.

On the maps, this is shown as:

- ● Intermediate Point
- ◼ Intermediate Point combined with Handover Point

- **Operational Point**
Train handling (e.g. loco change, driver change) are possible as defined in the PaP section. No feeder or outflow connections are possible.

On the maps, this is shown as:

-  Operational Point

A schematic map of the Corridor can be found in Annex 4.C.

3.4.1.3 Features of PaPs

The capacity offer on a Corridor has the following features:

A PaP timetable is published containing:

- Sections with fixed times (data cannot be modified in the path request by an applicant)
 - Capacity with fixed origin, intermediate and destination times within one IM/AB.
 - Intermediate points and operational points (as defined in 3.4.1.2) with fixed times. Request for changes to the published PaP have to be examined by the IMs/ABs concerned and can only be accepted if they are feasible and if this does not change the calculation of the priority rule in case of conflicting requests at X-8.
- Sections with flexible times (data may be modified in the path request by an applicant according to individual needs, but without exceeding the given range of standard running times, stopping times and train parameters. Where applicable, the maximum number of stops and total stopping time per section has to be respected).
 - Applicants are free to include their own requirements in their PaP request within the parameters mentioned in the PaP catalogue.
 - Where applicable, the indication of standard journey times for each corridor section has to be respected.
 - Optional: Intermediate Points (as defined in Chapter 3.4.1.2) without fixed times. Other points on the Corridor may be requested.
 - Optional: Operational Points (as defined in Chapter 3.4.1.2) without fixed times.

Requests for changes outside of the above-mentioned flexibility have to be examined by the IMs/ABs concerned if they accept the requests. The changes can only be accepted if they are feasible.

The C-OSS promotes the PaPs by presenting them to existing and potential applicants.



Due to infrastructure specialities Corridor Rhine-Alpine knows the following two additional type of sections

- Sections with standard common parameters
 - the parameters display the maximal value and cannot be exceeded
 - standard common parameters to fit in the major part of the path requests
 - Applicants have the freedom to include their own requirements in their PaP request within the parameters mentioned in the PaP catalogue
- Exception: Sections with minimum parameters (Basel SBB RB – Brig – Domodossola) (concerned PaP defined in annex 4.D-5)
 - Within those sections the request has to exceed the profile of PC 45/364.
 - Requests which do not exceed the minimum parameter will be handed over directly to the responsible IM to be planned within the national allocation process.

The following PaP combinations on the Corridor Rhine-Alpine are possible

- Sections with fixed times and standard common parameter
- Sections with fixed times and minimum parameter
- Section with flexible times and standard common parameter

Additionally, RFC Rhine-Alpine offers 1 PaP from Rotterdam Maasvlakte to Gallarate in each direction with fixed times.

On Corridor Rhine – Alpine there are further national specialities known in Switzerland, ... please see Annex 4 D.

3.4.1.4 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor. A PaP offer harmonised by different corridors may be published and indicated as such. The applicant may request PaP sections on different corridors within one request. Each C-OSS remains responsible for allocating its own PaP sections, but the applicant may address its questions to only one of the involved C-OSSs, who will coordinate with the other concerned C-OSSs whenever needed.



Corridor Rhine - Alpine is connected to	at / between	offer
Corridor North Sea – Mediterranean	Basel SBB RB Montzen	harmonised harmonised
Corridor Scan Med	Piacenza	harmonised

3.4.1.5 PaPs on overlapping sections

The layout of the corridor lines leads to situations where some corridor lines overlap with others. The aim of the corridors, in this case, is to prepare the best possible offer, taking into account the different traffic flows and to show the possible solutions to link the concerning overlapping sections with the rest of the corridors in question.

In case of overlapping sections, corridors may develop a common offer, visible via all corridors concerned. These involved corridors will decide which C-OSS is responsible for the final allocation decision on the published capacity. In case of conflict, the responsible C-OSS will deal with the process of deciding which request should have priority together with the other C-OSSs. In any case, the applicant will be consulted by the responsible C-OSS.



Corridor Rhine - Alpine has no common offer on overlapping sections


3.4.1.6 Feeder, outflow and tailor-made paths

In case available PaPs do not cover the entire requested path, the applicant may include a feeder and/or outflow path to the PaP section(s) in the international request addressed to the C-OSS via PCS in a single request.

A feeder/outflow path refers to any path section prior to reaching an intermediate point on a corridor (feeder path) or any path section after leaving a corridor at an intermediate point (outflow path).

Feeder and outflow paths will be constructed on request in the PCS dossiers concerned by following the national path allocation rules. The offer is communicated to the applicant by the C-OSS within the same time frame available for the communication of the requested PaPs. Requesting a tailor-made path between two PaP sections is possible, but because of the difficulty for IMs/ABs to link two PaP sections, a suitable offer might be less likely (for further explanation see 3.4.3.6).

Graph with possible scenarios for feeder/outflow paths in connection with a request for one or more PaP section(s):



3.4.2 Handling of requests

The C-OSS publishes the PaP catalogue at X-11 in PCS, inspects it in cooperation with IMs/ABs, and performs all needed corrections of errors detected by any of the involved parties until X-10.5. Applicants can submit their requests until X-8. The C-OSS offers a single point of contact to applicants, allowing them to submit requests and receive answers regarding corridor capacity for international freight trains crossing at least one border on a corridor in one single operation. If requested, the C-OSS can support applicants in creating the dossiers in order to prevent inconsistencies and guide the applicants' expectations. The IMs/ABs may support the applicants by providing a technical check of the requests.

3.4.2.1 Leading tool for the handling of capacity requests

Applicants sending requests to the C-OSS shall use PCS. Within the construction process of feeder and/or outflow paths and tailor-made paths, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application (till X-8)	Withdrawal (X-8 till X-5)	Modification (X-8 till X-5)	Pre-booking (X-7.5)	Draft offer (X-5)	Observation (X-5 till X-4)	Final offer (X-3.5)	Acceptance (until X-3)	Modification (after X-4)	Cancellation (after X-4)
Leading tool	PCS	PCS	PCS	PCS	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS
Additional tool				Email (for pre-booking information)						



All requests for modification and/or cancellation after X-4 must be placed in IM's national tool only.

3.4.2.2 Check of the applications

The C-OSS assumes that the applicant has accepted the published PaP characteristics by requesting the selected PaP. However, for all incoming capacity requests it will perform the following plausibility checks:

- Request for freight train using PaP and crossing at least one border on a corridor
- Request without major change of parameters

If there are plausibility flaws, the C-OSS may check with the applicant whether these can be resolved:

- if the issue can be solved, the request will be corrected by the C-OSS (after the approval of the applicants concerned) and processed like all other requests. The applicant has to

accept or reject the corrections within 5 calendar days. In case the applicant does not answer or reject the corrections, the C-OSS forwards the original request to the IM/AB concerned.

- if the issue cannot be resolved, the request will be rejected.

All requests not respecting the published offer are immediately forwarded by the C-OSS to the IM/AB concerned for further treatment. In those cases, answers are provided by the involved IM/AB. The IMs/ABs will accept them as placed in time (i.e. until X-8).



Checks of the C-OSS additional steps:

- Legitimation Applicants (includes the acceptance of terms and conditions)
- Plausibility of PaP request due to the timetable
- Routing, start/final point (terminal) and feeder/ outflow of request
- Identical Running Days for whole PaP request
- Flex-PaP due to the range of flexibility
- PaP requests with special cases
- Doubling of train numbers
- Parameter of PaP request
- Parameter national specialities

In case of missing or inconsistent data the C-OSS directly contacts the leading applicant and asks for the relevant data update/changes to be delivered within 5 calendar days.

In general: in case a request contains PaPs on several corridors, the C-OSSs concerned check the capacity request in cooperation with the other involved C-OSS(s) to ensure their cooperation in treating multiple corridor requests. This way, the cumulated length of PaPs requested on each corridor is used to calculate the priority value (K value) of possible conflicting requests (see more details in Chapter 3.4.3.1). The different corridors can thus be seen as part of one combined network.

3.4.3 Pre-booking phase

In the event of conflicting requests for PaPs placed until X-8, a priority rule is applied. The priority rules are stated in the FCA (Annex 4.A) and in Chapter 3.4.3.1.

On behalf of the IMs/ABs concerned and according to the result of the application of the priority rules - as detailed in 3.4.3.1 - the C-OSS pre-books the PaPs.

The C-OSS also forwards the requested feeder/outflow path and/or adjustment to the IMs/ABs concerned for elaboration of a timetable offer fitting to the PaP already reserved (pre-booked), just as might be the case with requests with a lower priority value (cfr. priority rule process below). The latter will be handled in the following order:

- consultation may be applied
- alternatives may be offered (if available)

- if none of the above steps were applied or successful, the requested timetable will be forwarded to the IMs/ABs concerned to elaborate a tailor-made offer as close as possible to the initial request.

3.4.3.1 Priority rules in capacity allocation


Conflicts are solved with the following steps, which are in line with the FCA:

- A) A resolution through consultation may be promoted and performed between applicants and the C-OSS, if the following criteria are met:
 - o The conflict is only on a single corridor
 - o Suitable alternative PaPs are available.
- B) Applying the priority rule as described in Annex 1 of the FCA (see Annex 4.A) and Chapter 3.4.3.2 of this Book 4.
 - a. Cases where no Network PaP is involved (see 3.4.3.3)
 - b. Cases where Network PaP is involved in at least one of the requests (see 3.4.3.4)

The Table of Distances in Annex 4.E shows the distances taken into account in the priority calculation.


- C) Random selection (see 3.4.3.5).

In the case that more than one PaP is available for the published reference PaP, the C-OSS pre-books the PaPs with the highest priority until the published threshold is reached. When this threshold is reached, the C-OSS will apply the procedure for handling requests with a lower priority as listed above.


Corridor Rhine - Alpine does not apply conflict-solving through consultation.

3.4.3.2 Network PaP

A Network PaP is not a path product. However, certain PaPs may be designated by corridors as 'Network PaPs', in most cases for capacity requests involving more than one corridor. Network PaPs are designed to be taken into account for the definition of the priority of a request, for example on PaP sections with scarce capacity. The aim is to make the best use of available capacity and provide a better match with traffic demand.


Corridor Rhine - Alpine does not designate any Network PaPs.

3.4.3.3 Priority rule in case no Network PaP is involved

The priority is calculated according to this formula:

$$K = (L^{PAP} + L^{F/O}) \times Y^{RD}$$

L^{PAP} = Total requested length of all PaP sections on all involved corridors included in one request. The definition of a request can be found in Chapter 3.3.

$L^{F/O}$ = Total requested length of the feeder/outflow path(s) included in one request; for the sake of practicality, is assumed to be the distance as the crow flies.

Y^{RD} = Number of requested running days for the timetable period. A running day will only be taken into account for the priority calculation if it refers to a date with a published PaP offer for the given section.

K = The rate for priority

All lengths are counted in kilometres.

The method of applying this formula is:

in a first step the priority value (K) is calculated using only the total requested length of pre-arranged path (L^{PAP}) multiplied by the Number of requested running days (Y^{RD});

- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of the complete paths ($L^{PAP} + L^{F/O}$) multiplied by the number of requested running days (Y^{RD}) in order to separate the requests;
- if the requests cannot be separated in this way, a random selection is used to separate the requests. This random selection shall be defined in the CID. This random selection is described in 3.4.3.5.

3.4.3.4 Priority rule if a Network PaP is involved in at least one of the conflicting requests

- If the conflict is not on a “Network PaP”, the priority rule described above applies.
- If the conflict is on a “Network PaP”, the priority is calculated according to the following formula:

$$K = (L^{NetPAP} + L^{Other\ PAP} + L^{F/O}) \times Y^{RD}$$

K = Priority value

L^{NetPAP} = Total requested length (in kilometres) of the PaP defined as “Network PaP” on either corridor included in one request. The definition of a request can be found in Chapter 3.3.

$L^{Other\ PAP}$ = Total requested length (in kilometres) of the PaP not defined as “Network PaP” on either corridor included in one request. The definition of a request can be found in Chapter 3.3.

$L^{F/O}$ = Total requested length of the feeder/outflow path(s) included in one request; for the sake of practicality, is assumed to be the distance as the crow flies.

Y^{RD} = Number of requested running days for the timetable period. A running day will only be taken into account for the priority calculation if it refers to a date with a published PaP offer for the given section.

The method of applying this formula is:

- in a first step the priority value (K) is calculated using only the total requested length of the “Network PaP” (L^{NetPAP}) multiplied by the Number of requested running days (Y^{RD})
- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of all requested “Network PaP” sections and other PaP sections ($L^{NetPAP} + L^{Other\ PAP}$) multiplied by the Number of requested running days (Y^{RD}) in order to separate the requests
- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of the complete paths ($L^{NetPAP} + L^{Other\ PAP} + L^{F/O}$) multiplied by the Number of requested running days (Y^{RD}) in order to separate the requests

If the requests cannot be separated in this way, a random selection is used to separate the requests. This random selection shall be defined in the CID.

3.4.3.5 Random selection

If the requests cannot be separated by the above-mentioned priority rules, a random selection is used to separate the requests.

- The respective applicants will be acknowledged of the undecided conflict before X-7.5 and invited to attend a drawing of lots.
- The actual drawing will be prepared and executed by the C-OSS, with complete transparency.
- The result of the drawing will be communicated to all involved parties, present or not, via PCS and e-mail, before X-7.5.




Corridor Rhine - Alpine uses the above described random selection.

3.4.3.6 Special cases of requests and their treatment

The following special use of PaPs is known out of the allocation within the past timetables:

Division of continuous offer in shares identified by the PaP ID (PaPs / non-PaPs)

- This refers to the situation when applicants request corridor capacity (on one or more corridors) in the following order:
 - PaP section
 - Tailor-made section
 - PaP section



These requests will be taken into consideration, depending on the construction starting point in the request, as follows:

- Construction starting point at the beginning: The C-OSS pre-books the PaP sections from origin until the end of the first continuous PaP section. No section after the interruption of PaP sections will be pre-booked; they will be treated as tailor-made.
- Construction starting point at the end: The C-OSS pre-books the PaP sections from the destination of the request until the end of the last continuous PaP section. No sections between the origin and the interruption of the PaP sections will be pre-booked; they will be treated as tailor-made.
- Construction starting point in the middle: The C-OSS pre-books the longest of the requested PaP sections either before or after the interruption. No other section will be pre-booked; they will be treated as tailor-made.

However, in each of the above cases, the requested PaP capacity that becomes tailor-made might be allocated at a later stage if the IMs/ABs can deliver the tailor-made share as requested. In case of allocation, the PaP share that can become tailor-made retains full protection. This type of request doesn't influence the application of the priority rule.

3.4.3.7 Result of the pre-booking

The C-OSS provides interim information to applicants regarding the status of their application no later than X-7.5.

In the case that consultation was applied, the applicants concerned are informed about the outcome.

In the case that no consultation was applied, the interim notification informs applicants with a higher priority value (K value) about pre-booking decisions in their favour.

In case of conflicting requests with a lower priority value, the C-OSS shall offer an alternative PaP, if available. The applicant concerned has to accept or reject the offered alternative within 5 calendar days. In case the applicant does not answer, or rejects the alternative, or no alternative is available, the C-OSS forwards the original request to the IM/AB concerned. The C-OSS informs the applicants with a lower priority value (K value) by X-7.5 that their path request has been forwarded to the IM/AB concerned for further treatment within the regular process for the annual timetable construction, and that the C-OSS will provide the draft path offer on behalf of the IM/AB concerned at X-5 via PCS. These applications are handled by the IM/AB concerned as on-time applications for the annual timetable and are therefore included in the regular national construction process of the annual timetable.

3.4.3.8 Handling of non-requested PaPs

There are two ways of handling non-requested PaPs at X-7.5, based on the decision of the MB.

- A) After pre-booking, all non-requested PaPs are handed over to the IM/AB.
- B) The MB takes a decision regarding the number of PaPs to be kept after X-7.5. The decision on which PaPs to keep and which PaPs to return to the relevant IMs/ABs depends on the "booking situation" at that moment. More precisely, at least the following three criteria must be used (by decreasing order of importance):
 - a. There must be enough capacity for late requests, if applicable, and RC.
 - b. Take into account the demand for international paths for freight trains placed by other means than PCS.

- c. Take into account the need for modification of PaP offer due to possible changes in the planning of TCRs.

PaP capacity which is returned to IMs/ABs is cleared from the published PaP offer, unless each IM/AB individually decides to withdraw them entirely from PCS in order to free capacity on their network.

The remaining PaPs are published during the late request phase (where applicable) in PCS with continuous updating.



Corridor Rhine - Alpine handles non-requested PaPs according to A above.

3.4.4 Path elaboration phase

3.4.4.1 Preparation of the (draft) offer

After receiving the pre-booking decision by the C-OSS, the IM/AB concerned will elaborate the flexible parts of the requests:

- Feeder, outflow or intermediate sections
- Pre-booked sections for which the published timetable is not available anymore due to external influences, e.g. temporary capacity restrictions
- In case of modifications to the published timetable requested by the applicant
- In case of an alternative offer that was rejected by the applicant or is not available

In case IMs/ABs cannot create the draft offer due to specific wishes of the applicant not being feasible, the C-OSS has to reject the request.

The C-OSSs shall be informed about the progress, especially regarding the parts of the requests that cannot be fulfilled, as well as conflicts and problems in harmonising the path offers.



Corridor Rhine-Alpine will not include flexibility into the draft offer.

3.4.4.2 Draft offer

At the RNE draft timetable deadline (X-5) the C-OSS communicates the draft timetable offer for every handled request concerning pre-booked PaPs including feeder and/or outflow to the applicant via PCS on behalf of the IM/AB concerned.



Corridor Rhine-Alpine does not include flexibility in the draft offer.

3.4.4.3 Observations

Applicants can place observations on the draft timetable offer in PCS, which are monitored by the C-OSS. The C-OSS can support the applicants regarding their observations. This procedure

only concerns observations related to the original path request — whereas modifications to the original path requests are treated as described in Chapter 3.7.1 (without further involvement of the C-OSS).

3.4.4.4 Post-processing

Based on the above-mentioned observations the IMs/ABs have the opportunity to revise offers. The updated offer is provided to the C-OSS, which – after a consistency check – submits the final offer to the applicant in PCS.

3.4.5 Final offer

At the final offer deadline (X-3.5), the C-OSS communicates the final timetable offer for every valid PaP request including feeder and/or outflow sections to the applicants via PCS on behalf of the IM/AB concerned. If, for operational reasons, publication via national tools is still necessary (e.g. to produce documents for train drivers), the IM/AB have to ensure that there are no discrepancies between PCS and the national tool.



Corridor Rhine-Alpine does not include flexibility in the final offer.

The applicants involved shall accept or reject the final offer within 5 calendar days in PCS.

- Acceptance > leads to allocation
- Rejection > leads to withdrawal and closing of the request
- No answer > The C-OSS will actively try to get an answer. In case there is no answer from the applicants, the C-OSS will end the process (no allocation).

If not all applicants agree on the final offer, the request will be considered as unanswered.

3.5 Late path request phase

Late path requests refer to capacity requests concerning the annual timetable sent to the C-OSS within the time frame from X-7.5 until X-2.



Corridor Rhine - Alpine offers the possibility to place late path requests.

3.5.1 Product

Capacity for late path requests can be offered in the following ways:

- A. In the same way, as for PaPs, either specially-constructed paths for late path requests or PaPs which were not used for the annual timetable.
- B. On the basis of capacity slots. Slots are displayed per corridor section and the standard running time is indicated. To order capacity for late path requests, corridor sections without any time indications are available in PCS. The applicant may indicate his individually required departure and/or arrival times, and feeder and outflow path(s), as well as construction starting points. The indications should respect the indicated standard running times.

Capacity for late path request has to be requested via PCS either in the same way as for PaPs or by using capacity slots in PCS.



Corridor Rhine - Alpine offers the possibility to place late path requests by using the variant B. The capacity slot can be requested by using the empty dossiers which are available in PCS.

3.5.1.1 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor if capacity is offered. See Chapter 3.4.1.4.

3.5.1.2 Late paths on overlapping sections

See Chapter 3.4.1.5.



There are no common offers on overlapping sections on Corridor Rhine - Alpine.

3.5.2 Handling of requests

The C-OSS receives and collects all path requests that are placed via PCS.

3.5.2.1 Leading tool for late path requests

Applicants sending late path requests to the C-OSS shall use PCS. Within the construction process, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application (X-7.5 till X-2)	Withdrawal (X-8 till X-2)	Offer (X-1)	Acceptance (until X-0.75)	Modification	Cancellation
Leading tool	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS



All requests for modification and/or cancellation must be placed in IM's national tool only.

3.5.2.2 Check of the applications

The C-OSS checks all requests as described in 3.4.2.2.

3.5.3 Pre-booking

The C-OSS coordinates the offer with the IMs/ABs concerned or other C-OSS if needed by following the rule of "first come – first served".

3.5.4 Path elaboration

3.5.4.1 Draft offer

The offer will be prepared by the concerned IM(s)/AB(s) once the timetable with the requests placed on time has been finalised. The offer is made by the C-OSS to the applicant via PCS.

3.5.4.2 Observations

The C-OSS monitors the observations on the draft offer for late path requests placed by the applicant in PCS. The C-OSS can support the applicants regarding their observations. This procedure only concerns observations related to the original late path request — whereas modifications to the original late path requests are treated as described in Chapter 3.7.1 (without further involvement of the C-OSS).

3.5.4.3 Post-processing

Based on the above-mentioned observations the IMs/ABs have the opportunity to revise offers. The updated offer is provided to the C-OSS, which – after a consistency check – submits the final offer to the applicant in PCS.

3.5.5 Final offer

All applicants involved shall accept or reject the final offer within 5 calendar days in PCS.

- Acceptance > leads to allocation
- Rejection > leads to withdrawal and closing of the request
- No answer > The C-OSS will actively try to get an answer. In case there is still no answer from the applicants, the C-OSS will end the process (no allocation)

If not all applicants agree on the final offer the request will be considered as unanswered.

3.6 Ad-hoc path request phase

3.6.1 Product

3.6.1.1 Reserve capacity (RC)

During the ad-hoc path request phase, the C-OSS offers RC based on PaPs or capacity slots to allow for a quick and optimal answer to ad-hoc path requests:

- A. RC based on PaPs will be a collection of several sections along the corridor, either of non-requested PaPs and/or PaPs constructed out of remaining capacity by the IMs/ABs after the allocation of overall capacity for the annual timetable as well as in the late path request phase.
- B. In case RC is offered on the basis of capacity slots, slots are displayed per corridor section and the standard running time is indicated. The involved IMs/ABs jointly determine the amount of RC for the next timetable year between X-3 and X-2. The determined slots may not be decreased by the IMs during the last three months before real time.
To order reserve capacity slots, corridor sections without any time indication are available in PCS. The applicant may indicate his individually required departure and/or arrival times, feeder and outflow path(s) as well as construction starting points. The indications should respect the indicated standard running times as far as possible.



Corridor Rhine - Alpine offers RC through variant B. The timeframe for RC requests is +/- 3 hours from the start or endpoint the applicant indicates.

RC is published by the C-OSS at X-2 in PCS and on the website of Corridor Rhine - Alpine under the following link:



Reserve capacity for timetable 2020 will be available from October 2019.

On all RFC section the number of guaranteed timeslots is one per day.

The IMs can modify or withdraw RC for a certain period in case of unavailability of capacity due to force majeure. Applicants can book RC via the C-OSS until 30 days before the running day. To make ad-hoc requests less than 30 days before the running day, they have to contact the IMs/ABs directly.

3.6.1.2 Multiple corridor paths

It is possible for capacity requests to cover more than one corridor. See Chapter 3.4.1.4.

3.6.1.3 Reserve capacity on overlapping sections

See Chapter 3.4.1.5.



Corridor Rhine - Alpine doesn't offer common offers on overlapping sections.

3.6.1.4 Feeder, outflow and tailor-made paths

See Chapter 3.4.1.6. For RC the same concept applies as for PaPs in the annual timetable.

3.6.2 Handling of requests

The C-OSS receives and collects all path requests for RC placed via PCS until 30 days before the running day. If requested the C-OSS can support applicants in creating the dossiers to prevent inconsistencies and guide the applicants' expectations. The IMs/ABs may support the applicants by providing a technical check of the requests.

3.6.2.1 Leading tool for ad-hoc requests

Applicants sending requests for RC to the C-OSS shall use PCS. Within the construction process, the national tool may show additional information to the applicant.

The following matrix shows for each step of the process which tool is considered as the leading tool.

Phase	Application and allocation (X-2 till X+12)	Withdrawal	Offer (10 calendar days before train run)	Answer (within 5 calendar days after offer)	Modification	Cancellation
Leading tool	PCS	PCS	PCS	PCS	National tool/PCS	National tool/PCS



All requests for modification and/or cancellation must be placed in IM's national tool only.

3.6.2.2 Check of the applications

The C-OSS checks all requests as described in 3.4.2.2.

3.6.3 Pre-booking

The C-OSS applies the 'first come – first served' rule.

3.6.4 Path elaboration

Applicants can place observations on the draft timetable offer in PCS, which are monitored by the C-OSS. The C-OSS can support the applicants regarding their observations. This procedure only concerns observations related to the original path request — whereas modifications to the original path requests are treated as described in Chapter 3.7.1 (without further involvement of the C-OSS).

3.6.5 Final offer

Applicants shall receive the final offer no later than 10 calendar days before train run. All applicants involved shall accept or reject the final offer within 5 calendar days in PCS.

- Acceptance > leads to allocation
- Rejection > leads to withdrawal and closing of the request
- No answer > The C-OSS will actively try to get an answer. In case there is still no answer from the applicants, the C-OSS will end the process (no allocation)

If not all applicants agree on the final offer, the request will be considered as unanswered.

3.7 Request for changes by the applicant

3.7.1 Modification

The Sector Handbook for the communication between Railway Undertakings and Infrastructure Managers (RU/IM Telematics Sector Handbook) is the specification of the TAF-TSI (EC) No 62/2006 regulation. According to its Annex 12.2 UML Model of the yearly timetable path request, it is not possible to place change requests for paths (even including PaPs) by the applicant between X-8 and X-5. The only option in this period is the deletion, meaning the withdrawal, of the path request.



The minimum parameters on Corridor Rhine – Alpine are described in Annex 4. D.

3.7.2 Withdrawal

Withdrawing a request is only possible

- After submitting the request (until X-8) until the end of the observation phase
- before allocation during the late path request phase (where applicable) and ad-hoc path request phase.

Resubmitting the withdrawn dossier will be considered as annual request only until X-8.

3.7.2.1 Overview of withdrawal fees and deadlines

IM	Withdrawal fees and deadlines
ProRail; Netherlands	No fees
Infrabel; Belgium	Same as cancellation, see 3.7.4.2
DB Netz AG; Germany	<p>Withdrawal between X-8 – X-4:</p> <p>Prior to receiving a path offer from DB Netz AG, applicants may withdraw a request at any time. They will not be charged by DB Netz for withdrawing a request as long as they have not received a path offer.</p> <p>RUs will be charged after having received the final offer at X-4</p>
SBB / BLS / trasse.ch; Switzerland	<p>No fees</p> <p>Exception</p> <ul style="list-style-type: none"> ➤ On congested lines, the cancellation payment (table below) becomes active if the following points are given: <ul style="list-style-type: none"> ○ a provisionally allocated train path if the allocation had been in place for at least five working days; ○ an ordered train path if the order leads to conflicts among users and the infrastructure managers informed the users concerned about the conflict more than five working days before.
RFI; Italy	<p>between X-8 – X-4: no fees</p> <ul style="list-style-type: none"> ➤ after final offer: <ul style="list-style-type: none"> ○ of trains on limited capacity or congested infrastructure = 75% ○ of trains on not-limited capacity infrastructure = 50%

3.7.3 Transfer of capacity

Once capacity is pre-booked or allocated to an applicant, it shall not be transferred by the recipient to another applicant. The use of capacity by an RU that carries out business on behalf of a non-RU applicant is not considered a transfer.


3.7.4 Cancellation

Cancellation refers to the phase between final allocation and the train run. Cancellation can refer to one, several or all running days and to one, several or all sections of the allocated path.

3.7.4.1 Addressing and form of a cancellation

In case a path has to be cancelled, for whatever reason, the cancellation has to be done according to national processes.

3.7.4.2 Overview of cancellation fees and deadlines


						
deadlines	Cancellation fees					
	ProRail	Infrabel ^{8, 9}	DB Netz AG	SBB / BLS / trasse.ch ^{6, 7}	RFI	
					Not limited capacity	Limited or congested capacity
< 24h before train run	0%	100%	80% ¹	100%	30%	60%
Between 24h and 4 days	0%	30%	30% ²	80%	30%	60%
Between 5 days and 30 days	0%	30%	15 % ³	80%	0%	50%
Between 31 days and 60 days	€10,00 ⁵	15%	Minimum charge ⁴	50%	0%	50%
> 60 days	€10,00 ⁵	0%	Minimum charge ⁴	20%	0%	50%
¹ 80% of calculation basis * number of train-path kilometres * number of amended days of service. ² 30% of calculation basis * number of train-path kilometres * number of amended days of service. ³ 15% of calculation basis * number of train-path kilometres * number of amended days of service. ⁴ Min. charge = timetable costs * number of train-path kilometres * number of amended days of service (up to a maximum of €499). ⁵ If ordered in annual timetable and only if more than 20% of the allocated paths are cancelled ⁶ Exception On congested lines, the cancellation payment (table above) becomes active if the following are given: ➤ a provisionally allocated train path if the allocation had been in place for at least five working days;						

➤	an ordered train path if the order leads to conflicts among users and the infrastructure managers informed the users concerned about the conflict more than five working days before.
⁷	Cancellation after train run leads to a cancellation fee of 200%
⁸	In addition to the cancellation fee, an administrative fee is due
⁹	Cancellation after train run leads to a cancellation fee of 100%

3.7.5 Unused paths

If an applicant or designated RU does not use the allocated path, the case is treated as follows.

3.7.5.1 Overview of fees and deadlines for unused paths

	
IM	Fees for unused paths
ProRail; Netherlands	A railway undertaking can return a path by either “waiting-room” or “cancellation”. This is free of charge. However, if a choice is made for “check-in” or “reschedule” (and the path is not returned before the time of departure), the path is charged at the standard weight of the running characteristic of the train for which the path was requested.
Infrabel; Belgium	100% of the path charge and an administration fee will be invoiced
DB Netz AG; Germany	100% of the path charge
SBB / BLS / trasse.ch; Switzerland	If a path is not cancelled by the RU, the train is charged in accordance with the standard rates set out in the “List of infrastructure service (section 4.3.2.)”.
RFI; Italy	100% of the charge

3.8 Exceptional transport and dangerous goods

3.8.1 Exceptional transport

PaPs and RC do not include the possibility to manage exceptional consignments (e.g. out-of-gauge loads). The parameters of the PaPs and RC offered have to be respected, including the published combined traffic profiles.

Requests for exceptional consignments are forwarded by the C-OSS directly to the IMs/ABs concerned for further treatment.

3.8.2 Dangerous goods

Dangerous goods may be loaded on trains using PaPs or RC if both international and national rules concerning the movement of hazardous material are respected (e.g. according to RID – Regulation governing the international transport of dangerous goods by rail).

Dangerous goods have to be declared, when making a path request, to all IMs/ABs on Corridor Rhine - Alpine.

3.9 Rail related services

Rail related services are specific services, the allocation of which follows national rules and partially other deadlines than those stipulated in the process of path allocation. Therefore the request has to be sent to the IMs/ABs concerned directly.


If questions regarding rail related services are sent to the C-OSS, he/she contacts the IMs/ABs concerned, who provide an answer within a reasonable time frame.

3.10 Contracting and invoicing

Network access contracts are concluded between IMs/ABs and the applicant on the basis of national network access conditions.


The C-OSS does not issue any invoices for the use of allocated paths. All costs (charges for using a path, administration fees, etc.) are invoiced by the relevant IMs/ABs.

Currently, differences between various countries exist regarding invoicing for the path charge. In some countries, if a non-RU applicant is involved, it receives the invoice, whereas in other countries the invoice is issued to the RU that has used the path.

	
An overview of who has to pay the path charge when a non-RU applicant uses the path on Corridor Rhine - Alpine per IM/AB (extract from the different Network Statements) is listed below.	
IM	Explanations
ProRail; The Netherlands	Path charge will be invoiced to the RU that used the path.
Infrabel; Belgium	Path charge will be invoiced to the applicant
DB Netz AG; Germany	Path charge will be invoiced to the party of the infrastructure user contract
SBB / BLS / trasse.ch; Switzerland	Path charge will be invoiced to the RU that used the path.
RFI; Italy	Path charge will be invoiced to the RU that used the path.

3.11 Appeal procedure

Based on Article 20 of Regulation (EU) No 913/2010: in case of complaints regarding the allocation of PaPs (e.g. due to a decision based on the priority rules for allocation), the applicants may address the relevant Regulatory Body (RB) as stated in the Cooperation Agreement signed between RBs on the Corridor.


<p>The Cooperation Agreement can be found under:</p> <p>http://www.bundesnetzagentur.de/SharedDocs/Downloads/DE/Sachgebiete/Eisenbahn/Unternehmen_Institutionen/Korridore/Cooperation%20agreement.pdf?__blob=publicationFile&v=2</p>

4 Coordination and publication of planned temporary capacity restrictions

4.1 Goals

Planned Temporary Capacity Restrictions (TCRs) are necessary to keep the infrastructure and its equipment in operational condition and to allow changes to the infrastructure necessary to cover market needs. In case of international traffic, these capacity restrictions have to be coordinated among neighboring countries. In addition, there is a strong customers' demand to know in advance which capacity restrictions they will be confronted with. Infrastructure Managers provide for coordination and publication of the TCRs according to the current legal framework (see 4.2). Notwithstanding the respect of this legal framework and of the national processes for corridor-relevant TCRs, i.e. those TCRs which fulfil the criteria listed in Chapter 4.6.1 RFC's coordination process can be agreed upon, taking into account the interests of the applicants. The corridor's aim is to do this by regularly updating the information and presenting all planned TCRs in an easily accessible way.

4.2 Legal background

The legal background to this chapter can be found in:

- » Commission Delegated Decision (EU) 2017/2075 replacing Annex VII to Directive 2012/34/EU
- » Regulation (EU) No 913/2010 Article 12 "Coordination of works".

A framework has been developed by RNE in the "**Guidelines for Coordination / Publication of Planned Temporary Capacity Restrictions for the European Railway Network**" and it is reflected in Corridor Rhine - Alpine's specific procedures.

4.3 Coordination process

4.3.1 Coordination

Coordination of corridor-relevant TCRs is carried out according to the following procedure:

4.3.1.1 First level coordination

Coordination will be performed during regular coordination processes between neighbouring IMs on the Corridor. The time and frequency as well as any other specific Corridor Rhine - Alpine's coordination features are described in the specific Corridor Rhine - Alpine's box below.



The Corridor Rhine - Alpine applies the following coordination process:

Time and frequency of coordination meetings differ from country to country. The result is an agreed list of coordinated TCRs linked to time frames, describing the impact on capacity as far as it is known.

Coordination meetings shall be organised by the respective IMs; the RFC TCR Coordinator will be invited and will be informed about the results and open issues concerning TCRs on Corridor lines. The RFC TCR Coordinator monitors the results of the coordination.

4.3.1.2 Criteria for initiating coordination on Corridor level

Coordination on Corridor level can be initiated by the RFC TCR Corridor Coordinator if, according to the agreed criteria, the aggregated impacts of the proposed TCR exceed these agreed limits/criteria. The RFC TCR Coordinator informs the MB of the Corridor of the exceedance of those limits/criteria and propose further coordination.



So far, the Corridor Rhine - Alpine has no specific criteria for initiating coordination on Corridor level.

4.4 Conflict resolution process

Unsolved conflicts on Corridor lines shall be reported to Corridor Rhine - Alpine's MB.

IMs involved in the conflict will initiate the conflict-resolution process (e.g. by initiating specific bi/multi-lateral meetings). The specific Corridor Rhine - Alpine's process is described in the box below.



Conflict resolution process on Corridor Rhine - Alpine.

Experts with relevant knowledge of planning TCRs and of planning timetables will work on proposals for alternatives to find solutions. The management of the IM(s) where the works take place, is responsible for a final decision. Results will be reported to the management of the affected IMs and to the MB of the involved corridors.

4.5 Involvement of applicants

Each IM has its own national processes and platforms to consult the applicants and inform them about TCRs. These processes are described in the Network Statement of each IM.

At Corridor level, the involvement of applicants is organised in the following way:



Regular meetings of the Railway Undertaking Advisory Group (RAG) and Terminal Advisory Group (TAG) are used to discuss issues related with TCRs.

Additional meetings with applicants, to discuss and resolve open issues, will be treated on a case by case basis.

4.6 Publication


4.6.1 Criteria for publication

	Consecutive days	Impact on traffic (estimated traffic cancelled, re-routed or replaced by other modes of transport)
Major impact TCR¹	More than 30 consecutive days	More than 50% of the estimated traffic volume on a railway line per day
High impact TCR¹	More than 7 consecutive days	More than 30% of the estimated traffic volume on a railway line per day
Medium impact TCR¹	7 consecutive days or less	More than 50% of the estimated traffic volume on a railway line per day
Minor impact TCR²	unspecified ³	More than 10% of the estimated traffic volume on a railway line per day

1) Commission Delegated Decision (EU) 2017/2075, article (11);

2) Commission Delegated Decision (EU) 2017/2075, article (12).

3) according to Commission Delegated Decision (EU) 2017/2075, article (12) “7 consecutive days or less”, modified here.

	
Corridor Rhine – Alpine publishes relevant TCR in CIP.	
Link to: CIP	

After initial publication of TCRs, further details may be added when they are available.

4.6.2 Dates of publication

Corridor Rhine - Alpine publishes the coordinated TCRs on the following dates:

	December 2018	December 2018	August 2019	December 2019	December 2019
Major	X (second publication)	X (first publication)		X (second publication)	X (first publication)
High	X (second publication)	X (first publication)		X (second publication)	X (first publication)
Medium	X (international impact)			X (international impact)	
Minor			X		
Applicable timetable	TT 2020	TT 2021	TT 2020	TT 2021	TT 2022

4.6.3 Tool for publication

After coordination between all IMs involved on Corridor Rhine - Alpine the results are published in the harmonised Excel overview on the Corridors' website.



Corridor Rhine – Alpine publishes the overview in CIP.

Link to: [CIP](#)

Corridor Rhine - Alpine also publishes in [CIP](#) impact sheets for TCRs with high impact for traffic on which the TCRs and the impacts are indicated.

4.7 Legal disclaimer

By publishing the overview of the corridor TCRs, the IMs concerned present the planning status for TCRs to infrastructure availability along Corridor Rhine - Alpine. The published TCRs are a snapshot of the situation at the date of publication and are subject to further changes. The information provided can be used for rough orientation purposes only and may not constitute the basis for any legal claim.

The publication of TCRs at Corridor level does not substitute any national law or legislation. It lies within the IMs' responsibility to publish and communicate TCRs as stated in their Network Statements.

5 Traffic management

In line with Article 16 of Regulation (EU) No 913/2010, the management board of the freight corridor has put in place procedures for coordinating traffic management along the freight corridor.

Traffic Management is the prerogative of the national IMs and is subject to national operational rules. The goal of Traffic Management is to guarantee the safety of train traffic and achieve high quality performance. Daily traffic shall operate as close as possible to the planning.

In case of disturbances, IMs work together with the RUs concerned and neighbouring IMs in order to limit the impact as far as possible and to reduce the overall recovery time of the network. For international disruptions longer than 3 days with a high impact on international traffic, the international contingency management, as described in the International Contingency Management handbook (ICM Handbook), (http://www.rne.eu/rneinhalt/uploads/International_Contingency_Management_Handbook_final_v1.5.pdf) applies.


National IMs coordinate international traffic with neighbouring countries on a bilateral level. In this manner they ensure that all traffic on the network is managed in the most optimal way.



No additional Traffic Management rules have been developed on Corridor Rhine - Alpine

5.1 Cross-border section information


In the table below, all cross-border sections covered by Corridor Rhine - Alpine are listed:

		
Cross-border section	IM 1	IM 2
Zevenaar Oost – Emmerich	ProRail	DB Netz AG
Venlo – Kaldenkirchen	ProRail	DB Netz AG
Montzen – Aachen West	Infrabel	DB Netz AG
Basel Bad Bf – Basel SBB PB/RB	DB Netz AG	SBB
Brig – Domodossola	SBB / BLS	RFI
Cadenazzo – Luino	SBB	RFI
Chiasso	SBB	RFI

5.1.1 Technical features and operational rules

For all corridor related cross-border sections, the following information is available:

- Technical features
 - Maximum train weight and train length
 - Railway line parameters (number of tracks, electrification, profile, loading and vehicle gauge, speed limit, axle load, etc.)
- Operational rules
 - Languages used
 - Requirements running through the border (administrative and technical preconditions)
 - Special rules in case of system breakdown (communication system failure, safety system failure).



<p>For Corridor Rhine - Alpine the above-mentioned information can be found:</p> <ul style="list-style-type: none"> ➤ Railway line parameters are displayed on the overview map in the Corridor Information Platform (CIP): https://cip.rne.eu/apex/f?p=212:101:::P101_CORRIDOR:1 ➤ In the Network Statements of the involved IMs, to be found in the Corridor Information Platform (CIP): <u>Link not available yet</u> ➤ On the RNE website – Traffic Management Information – Border section information sheet within the Excel table http://www.rne.eu/rneinhalt/uploads/TMI_Final_data_collection_for-website-updated-2018.xlsx

5.1.2 Cross-border agreements

Cooperation between the IMs on a corridor can be described in different types of agreements: in bilateral agreements between states (at ministerial level) and/or between IMs and in the detailed border section procedures.


Agreements applicable on Corridor Rhine - Alpine can be found in the overview below and contain the following information:

- Title and description of border agreement
- Validity
- Languages in which agreement is available
- Relevant contact person within IM.


<p>On Corridor Rhine - Alpine the above-mentioned overview information can be found:</p> <ul style="list-style-type: none"> ➤ On the RNE website – Traffic Management Information – Border agreements Level 1 and Level 2 sheets within the Excel table http://www.rne.eu/rneinhalt/uploads/TMI_Final_data_collection_for-website-updated-2018.xlsx

5.2 Priority rules in traffic management

In accordance with the Regulation, IMs involved in Corridor Rhine - Alpine commit themselves to treating international freight trains running on the corridor or feeder / outflow lines that run punctually according to the timetable in such a way that a high quality and punctuality level of this traffic is ensured, but always within the current possibilities and within the framework of national operational rules.


<p>No additional corridor-specific rules have been agreed</p>


To see the overview of national IM priority rules in traffic management, please visit:
<http://www.rne.eu/tm-tpm/priority-rules-in-operations/>

5.3 Traffic management in the event of disturbance

The goal of traffic management in case of disturbance is to ensure the safety of train traffic, while aiming to quickly restore the normal situation and/or minimise the impact of the disruption. The overall aim should be to minimise the overall network recovery time.

In order to reach the above-mentioned goals, traffic management in case of disturbance needs an efficient communication flow between all involved parties and a good degree of predictability, obtained by applying predefined operational scenarios at the border.

In case of international disruptions longer than 3 days with a high impact on international traffic, the International contingency management procedures as described in Chapter 4.1 of the ICM Handbook apply.


<p>No additional corridor-specific rules have been agreed.</p>

5.3.1 Communication procedure

The main principle on which the communication procedure in case of disturbance is based is that the IM concerned is responsible for communication; it must deliver the information as soon as possible through standard channels to the RUs on its own network and to the neighbouring IMs.

In case of international disruptions longer than 3 days with a high impact on international traffic, the International contingency management communication procedures as described in Chapter 4.2 of the ICM Handbook apply.



For Corridor Rhine - Alpine no specific procedures are applied. Operation centers do have a regular contact across the borders. Processes are reviewed and improved; experiences are shared in order to optimize the traffic management.

5.3.2 Operational scenarios within RFC in the event of disturbance

For international disruptions longer than 3 days with a high impact on international traffic, RFC with its member IMs and related RFCs developed an international corridor re-routing overview combining national re-routing plans across borders along the Corridor, according to Chapter 3 of the ICM Handbook.



Corridor Rhine – Alpine publishes re-routing scenarios in [CIP](#).

5.3.3 Allocation rules in the event of disturbance

In case of international disruptions longer than 3 days with a high impact on international traffic, the International contingency management allocation principles as described in chapter 3.2 of the ICM Handbook apply.



No additional corridor-specific rules have been agreed.

5.4 Traffic restrictions

Information about planned restrictions can be found in Chapter 4, Coordination and Publication of Planned Temporary Capacity Restrictions (TCRs).



On Corridor Rhine - Alpine the information about unplanned restrictions can be found:

- On the internal channels / tools of the involved IM's
- Within the respective sections of the IM's Websites

5.5 Dangerous goods

Detailed information about conditions for the transport of dangerous goods can be found in the Network Statements of IMs involved in Corridor Rhine - Alpine. Links to the network statements can be found in Book 2 of this CID.

5.6 Exceptional transport

Detailed information about conditions for the carriage of exceptional consignments can be found in the Network Statements of IMs involved in Corridor Rhine - Alpine. Links to the network statements can be found in Book 2 of this CID.

6 Train performance management

The aim of the Corridor Train Performance Management (TPM) is to measure punctuality, analyse weak points and recommend corrective measures, thus managing the train performance of international train services and improving punctuality across borders and handover points.

A necessary precondition for Train Performance Management is the implementation and use of the RNE Train Information System (as described in CID Book 1, Chapter 10 IT tools) by all involved IMs.



The practical application of the main principles described in the “RNE Guidelines for Freight Corridor Punctuality Monitoring” can be found in the TPM Reference Manual of Corridor Rhine - Alpine. It is not dealt with in detail in this document.

Corridor Rhine - Alpine has set up a working group “Train Performance Management” within the framework of its organisational structure that is responsible for the train performance management of the corridor. Only IMs representatives are in the working group, cooperation between IMs, RUs and third parties is ensured on a case by case basis to make the railway business more attractive and competitive.

Annexes:

Annex 4.A Framework for Capacity Allocation

Brussels, 20 November 2018

**Decision of the Executive Board of Rail Freight Corridor Rhine
Alpine**

adopting the Framework for capacity allocation
on the Rail Freight Corridor

Having regard to

- Regulation (EU) No 913/2010 of the European Parliament and of the Council and in particular Article 14 thereof;
- Directive 2012/34/EU of the European Parliament and of the Council and in particular Chapter IV (Section 3) thereof and modified Annex VII as included in delegated decision (EU)2017/2075;
- Recommendation of the Network of Executive Boards number 3 from 19 November 2018 on an harmonised model for framework of capacity allocation applicable for all railway freight corridors' to be applied for the timetable starting 14 December 2019;

Whereas:

- Directive 2012/34/EU provides the general conditions and objectives of infrastructure capacity allocation;
- Article 14 of Regulation (EU) No 913/2010 provides the particular conditions applicable in the context of rail freight corridors;
- Article 14(1) of Regulation (EU) No 913/2010 requires the Executive Board to define the framework for the allocation of infrastructure capacity on the rail freight corridor;
- Articles 14(2) to (10) of Regulation (EU) No 913/2010 establish the procedures to be followed by the Management Board, Infrastructure Managers and Allocation Bodies, with reference to the general rules contained in Directive 2012/34/EU;
- Switzerland is in the process of integrating provisions in its legislation which will be equivalent to Regulation (EU) 913/2010. As member of the Executive Board, Switzerland accepts all provisions of this decision but the decision is based on European law which cannot create any obligations of a legally binding character for Switzerland. Therefore, Switzerland provides an assurance that all relevant legal provisions will be amended and will be in line with this decision to come into force for the forthcoming timetable period;
- The Executive Board welcomes the continuation of the cooperation of the Management Board with the other Management Boards in order to harmonise as far as possible the time limit mentioned in Article 14(5) of Regulation (EU) No 913/2010;

Acting in accordance with its internal rules of procedure,

HAS ADOPTED THIS DECISION:

Having regard to

- Regulation (EU) No 913/2010 of the European Parliament and of the Council and in particular Article 14 thereof;
- Directive 2012/34/EU of the European Parliament and of the Council and in particular Chapter IV (Section 3) thereof;

Whereas:

- Directive 2012/34/EU provides the general conditions and objectives of infrastructure capacity allocation;
- Article 14 of Regulation (EU) No 913/2010 provides the particular conditions applicable in the context of rail freight corridors;
- Article 14(1) of Regulation (EU) No 913/2010 requires the Executive Board to define the framework for the allocation of infrastructure capacity on the rail freight corridor;
- Articles 14(2) to (10) of Regulation (EU) No 913/2010 establish the procedures to be followed by the Management Board, Infrastructure Managers and Allocation Bodies, with reference to the general rules contained in Directive 2012/34/EU;
- The Executive Board invites the Management Board to cooperate with the other Management Boards in order to harmonise as far as possible the time limit mentioned in Article 14(5) of Regulation (EU) No 913/2010;
- The Executive Board invites the Management Board to cooperate with the relevant stakeholders in order to harmonise the conditions for capacity allocated but ultimately not used, taking into account Article 14(7) of Regulation (EU) No 913/2010.

Acting in accordance with its internal rules of procedure,

THE EXECUTIVE BOARD HAS ADOPTED THIS DECISION:

Chapter I

PURPOSE, SCOPE AND CHARACTER OF THE FRAMEWORK

Article 1

1. This framework for the allocation of infrastructure capacity on the rail freight corridor (“Corridor Framework”) concerns the allocation of pre-arranged paths as defined according to Article 14(3) of Regulation (EU) No 913/2010 (“the Regulation”), and of reserve capacity as defined according to Article 14(5) of the Regulation, displayed by the Corridor One-Stop-Shop (“C-OSS”) for freight trains crossing at least one border on a rail freight corridor. It describes the key activities of the C-OSS and Management Board in this respect, and also identifies the responsibilities of the Regulatory Bodies in accordance with Article 20 of the Regulation.
2. The scope of application of the Corridor Framework is the railway network defined in the rail freight corridor implementation plan where principal, diversionary and connecting lines are designated.
3. The Executive Board may decide to allow specific rules within this Corridor Framework for networks which are applying the provisions permitted in accordance with Article 2(6) of Directive 2012/34/EU.
4. In addition, specific rules and terms on capacity allocation may be applicable on parts of the rail freight corridor for the timetable periods 2020 to 2024. These rules and terms are described and defined in Annex 4.

Article 2

The document to be published by the Management Board in accordance with Article 18 of the Regulation – hereinafter referred to as the Corridor Information Document (“CID”) – shall reflect the processes in this Corridor Framework.

Chapter II

PRINCIPLES FOR THE OFFER OF PRE-ARRANGED PATHS AND RESERVE CAPACITY

Article 3

1. The offer displayed by the C-OSS contains pre-arranged paths and reserve capacity. The pre-arranged paths and reserve capacity are jointly defined and organised by the IMs/ABs in accordance with Article 14 of the Regulation. In addition, they shall take into account as appropriate:
 - recommendations from the C-OSS based on its experience;
 - customer feedback concerning previous years (e.g. received from the Railway Undertaking Advisory Group);
 - customer expectations and forecast (e.g. received from the Railway Undertaking Advisory Group);
 - results from the annual users satisfaction survey of the rail freight corridor;
 - findings of any investigation conducted by the Regulatory Body in the previous year;

2. The infrastructure managers and allocation bodies (IMs/ABs) shall ensure that the pre-arranged path catalogue and reserve capacity are appropriately published. Before publication of the pre-arranged path catalogue and reserve capacity, the Management Board shall inform the Executive Board about the offer and its preparation.
3. Upon request of the Regulatory Bodies and in accordance with Articles 20(3) and 20(6) of the Regulation, IMs/ABs shall provide all relevant information allowing Regulatory Bodies to assess the non-discriminatory designation and offer of pre-arranged paths and reserve capacity and the rules applying to them.

Article 4

1. The pre-arranged paths shall be handed over to the C-OSS for exclusive management at the latest by X-11¹, and reserve capacity at the latest by X-2. The Management Board is required to decide whether, and if so to what extent, unused pre-arranged paths are to be returned by the C-OSS to the relevant IMs/ABs at X-7.5 or kept by the C-OSS after X-7.5 in order to accept late requests, taking into account the need for sufficient reserve capacity. The Management Board shall publish in the CID the principles on which it will base its decision.

Article 5

1. The pre-arranged paths managed by the C-OSS for allocation in the annual timetable and the reserve capacity are dedicated solely to the rail freight corridor. Therefore, it is essential that the displayed dedicated capacity is protected between its publication in the pre-arranged path catalogue and the allocation decision by the C-OSS at X-7.5 against unilateral modification by the IMs/ABs.
2. Following the allocation decision by the C-OSS at X-7.5, an IM/AB and an applicant may agree to minor modifications of the allocated capacity that do not impact the results of the allocation decision. In that case, the modified capacity shall have the same level of protection as that applied to the original capacity.

Article 6

1. Certain pre-arranged paths may be designated by the Management Board for the application of the network pre-arranged path priority rule “Network PaP rule” (defined in Annex 1) aimed at better matching traffic demand and best use of available capacity, especially for capacity requests involving more than one rail freight corridor. The Network PaP rule may apply to pre-arranged path sections linked together within one single or across several rail freight corridors. These sections are designated to promote the optimal use of infrastructure capacity available on rail freight corridors. A pre-arranged path on which the Network PaP rule applies is called “Network PaP”.
2. The designation of Network PaPs, in terms of origin and destination and quantity should take into account the following as appropriate:
 - scarcity of capacity;
 - the number and characteristics of conflicting requests as observed in previous years;
 - number of requests involving more than one rail freight corridor as observed in previous years;
 - number of requests not satisfied, etc. as observed in previous years.

¹ X indicates the date of the timetable change; figures refer to months. Therefore X-11 is 11 months before the timetable change etc.

3. Explanations for the designation of Network PaPs, the rail freight corridor sections to be covered by Network PaPs and an indicative share of Network PaPs as a proportion of all pre-arranged paths offered on the rail freight corridor shall be published in the CID.
4. Where Network PaPs relate to more than one rail freight corridor, the Management Board shall cooperate with the Management Board(s) of the other relevant rail freight corridor(s) to engage the IMs/ABs in the designation process. If one rail freight corridor identifies a need for Network PaPs on several rail freight corridors, the other rail freight corridor(s) involved should if possible meet the request. These Network PaPs can only be designated if the Management Boards of all relevant rail freight corridors agree.

Chapter III

PRINCIPLES OF ALLOCATION OF PRE-ARRANGED PATHS AND RESERVE CAPACITY

Article 7

1. The decision on the allocation of pre-arranged paths and reserve capacity on the rail freight corridor shall be taken by the C-OSS, in accordance with Article 13 of the Regulation.

The activities under the timetabling processes concerning pre-arranged paths and reserve capacity are set out in Annex 2.

III-A GENERAL PRINCIPLES RELATED TO THE FUNCTIONING OF THE C-OSS

Article 8

1. The CID to be published by the Management Board shall describe at least the competences, the form of organisation, the responsibilities vis-à-vis applicants and the mode of functioning of the C-OSS and its conditions of use.
2. The corridor capacity shall be published and allocated via an international path request coordination system, which is as far as possible harmonised with the other rail freight corridors.

III-B PRINCIPLES OF ALLOCATION

Article 9

1. The C-OSS is responsible for the allocation of pre-arranged paths and reserve capacity on its own rail freight corridor.
2. An applicant requesting pre-arranged paths or reserve capacity covering more than one rail freight corridor may select one C-OSS to act as a single point of contact to co-ordinate its request, but that C-OSS remains responsible for the allocation of capacity on its own rail freight corridor only.
3. Where the same pre-arranged paths are jointly offered by more than one rail freight corridor, the Management Board shall coordinate with the other Management Board(s) concerned to designate the C-OSS responsible for allocating those paths and publish this in the CID.

Article 10

1. After receipt of all path requests for pre-arranged paths at X-8 (standard deadline for submitting path requests for the annual timetable) the C-OSS shall decide on the allocation of pre-arranged paths by X-7.5 and indicate the allocation in the path register accordingly.
2. Requests for pre-arranged paths that cannot be met pursuant to Article 13(3) of the Regulation and that are forwarded to the competent IMs / ABs in accordance with Article 13(4) are to be considered by IMs/ABs as having been submitted before the X-8 deadline. The IMs/ABs shall take their decision and inform the C-OSS within the timescales set out in Annex VII of Directive 2012/34/EU and described in Annex 2 of this Corridor Framework. The C-OSS shall complete the processing of the request and inform the applicant of the decision as soon as possible after receiving the decision from the competent IMs/ABs.
3. The Management Board is invited to decide the deadline for submitting requests for reserve capacity to the C-OSS in a harmonised way at 30 days before the running date.
4. Without prejudice to Article 48(1) of Directive 2012/34/EU, the C-OSS shall endeavour to provide a first response to requests for reserve capacity within five calendar days of receiving the path request.

III-C PRINCIPLES OF FAIRNESS AND INDEPENDENCE

Article 11

1. The C-OSS shall respect the commercial confidentiality of information provided to it.
2. In the context of the rail freight corridor, and consequently from the point of view of international cooperation, C-OSS staff shall, within their mandate, work independently of their IMs/ABs in taking allocation decisions for pre-arranged paths and reserve capacity on a rail freight corridor. However, the C-OSS staff should work with the IMs/ABs for the purpose of coordinating the allocation of pre-arranged paths and reserve capacity with the allocation of feeder/outflow national paths.

III-D PRIORITIES TO BE APPLIED BY THE C-OSS IN CASE OF CONFLICTING REQUESTS

Article 12

1. In the event of conflicting requests, the C-OSS may seek resolution through consultation as a first step, if the following criteria are met:
 - The conflict is only on a single rail freight corridor;
 - Suitable alternative pre-arranged paths are available.
2. Where consultation is undertaken, the C-OSS shall address the applicants and propose a solution. If the applicants agree to the proposed solution, the consultation process ends.
3. If for any reason the consultation process does not lead to an agreement between all parties by X-7.5 the priority rules described in Annex 1 apply.

Article 13

1. Where consultation under Article 12 is not undertaken, the C-OSS shall apply the priority rules and the process described in Annex 1 immediately.

2. The priority rules concern only pre-arranged paths and are applied only between X-8 and X-7.5 in the event of conflicting applications.
3. Once the allocation decision is made for requests received by X-8, the C-OSS shall propose suitable alternative pre-arranged paths, if available, to the applicant(s) with the lower priority ratings or, in the absence of suitable alternative pre-arranged paths, shall without any delay forward the requests to the competent IMs/ABs in accordance with Article 13(4) of the Regulation. These path requests are to be considered by IMs/ABs as having been submitted before the X-8 deadline.
4. Experience of the conflict resolution process should be assessed by the Management Board and taken into consideration for the pre-arranged path planning process in following timetable periods, in order to reduce the number of conflicts in following years.

Article 14

With regard to requests placed after X-8, the principle “first come, first served” shall apply.

Chapter IV

APPLICANTS

Article 15

1. An applicant may apply directly to the C-OSS for the allocation of pre-arranged paths or reserve capacity.
2. Applicants shall accept the rail freight corridor's general terms and conditions as laid down in the CID in order to place requests for pre-arranged path and reserve capacity. A copy of these general terms and conditions shall be provided free of charge upon request. The applicant shall confirm that:
 - it accepts the conditions relating to the procedures of allocation as described in the CID,
 - it is able to place path requests via the system referred to in Article 8,
 - it is able to provide all data required for the path requests.

The conditions shall be non-discriminatory and transparent.

3. The allocation of pre-arranged paths and reserve capacity by the C-OSS to an applicant is without prejudice to the national administrative provisions for the use of capacity.
4. Once the pre-arranged path/reserve capacity is allocated by the C-OSS, the applicant shall appoint the railway undertaking(s) which will use the train path/reserve capacity on its behalf and shall inform the C-OSS and the IMs / ABs accordingly. If this appointment is not provided by the applicant by 30 days before the running day at the latest, regardless of whether it is a prearranged path or reserve capacity, the allocated path shall be considered as cancelled.
5. The CID shall describe the rights and obligations of applicants vis-à-vis the C-OSS, in particular where no undertaking has yet been appointed.

Chapter V

REGULATORY CONTROL

Article 16

1. The application of this Corridor Framework on the annual allocation of capacity shall be subject to the control of the Regulatory Bodies.
2. Article 20 of the Regulation requires the relevant Regulatory Body in each rail freight corridor to collaborate with other relevant Regulatory Bodies. The Executive Board invites the Regulatory Bodies involved on the corridor to set out the way in which they intend to cooperate on regulatory control of the C-OSS, by developing and publishing a cooperation agreement defining how complaints regarding the allocation process of the C-OSS are to be filed and how decisions following a complaint are to be taken. The Executive Board also invites the Regulatory Bodies to set out the procedures they envisage for co-operation across rail freight corridors.
3. Where a cooperation agreement has been developed and published, the CID should provide a link to it.

Chapter VI

FINAL PROVISIONS

Article 17

The Management Board shall inform the Executive Board on an annual basis, using the indicators identified in Annex 3, of the quantitative and qualitative development of pre-arranged paths and reserve capacity, in accordance with Article 9(1)c and 19(2) of the Regulation. On this basis, the Executive Board shall evaluate the functioning of the Corridor Framework annually and exchange the findings with the other rail freight corridors applying this Corridor Framework. The Regulatory Bodies may inform the Executive Board of their own observations on the monitoring of the relevant freight corridor.

Article 18

1. The Executive Board has taken this Decision on the basis of mutual consent of the representatives of the authorities of all its participating States, in accordance with the provisions of Article 14(1) of the Regulation. This Decision is legally binding on its addressees and shall be published.
2. This Corridor Framework replaces any previous Corridor Framework. It shall come into force on 14 December 2019 for the timetable period 2020.
3. Changes to this Corridor Framework can be made but only after consultation with the Management Board and with all rail freight corridors' Executive Boards and Regulatory Bodies.

Article 19

1. The priority rule and the process described in Annex 1, which are based on frequency and distance criteria, shall be evaluated by the rail freight corridor at the latest in the second half of 2021. This evaluation shall be based on a general assessment undertaken by the rail freight corridor taking into account its experience in terms of allocation. The evaluation shall also take into account the experiences from the specific rules and terms as referred to in Article 1(4).
2. In accordance with the results of the evaluation of the priority rule, as described above, any potential modification would take effect for the timetable period 2023 and onwards.

Signed in Brussels , on 20 November 2018, in English

The present decision takes effect the day following the date of its signing.

A handwritten signature in blue ink, consisting of a large loop followed by a horizontal stroke and a small upward flick.

Pierre Bodiaux

Alternate Member of the Executive board Rail Freight Corridor Rhine-Alpine for Belgium

A handwritten signature in blue ink, appearing to be 'Stefan Nagel' in a cursive style.


Stefan Nagel

Alternate Member of the Executive board Rail Freight Corridor Rhine-Alpine for Germany

A handwritten signature in blue ink, appearing to be 'Paola Mellone' in a cursive style.

Paola Mellone

Member of the Executive board Rail Freight Corridor Rhine-Alpine for Italy

A handwritten signature in blue ink, featuring a large loop and a long horizontal stroke extending to the right.

Peter Hondebrink

Member of the Executive board Rail Freight Corridor Rhine-Alpine for the Netherlands



Matthias Wagner

Alternate Member of the Executive board Rail Freight Corridor Rhine-Alpine for Switzerland

ANNEXES

1. Description of the priority rule at X-8 in the event of conflicting requests for pre-arranged paths
2. Activities within the timetabling processes concerning pre-arranged paths and reserve capacity
3. Evaluation of the allocation process.
4. Specific rules and terms on capacity allocation applicable on parts of the rail freight corridor according to Art. 1(4)

ANNEX 1

Description of the priority rule at X-8 in the event of conflicting requests for pre-arranged paths.

For the purpose of this Annex, a request comprises a train run from origin to destination, including sections on one or more rail freight corridors as well as feeder and/or outflow paths, on all of its running days. In certain cases, which are due to technical limitations of the IT system used, a request may have to be submitted in the form of more than one dossier. These cases must be described in the CID.

If no “Network PaP” is involved in the conflicting requests

The priority is calculated according to this formula:

$$K = (L^{PaP} + L^{F/O}) \times Y^{RD}$$

L^{PaP} = Total requested length of all PaP sections on all involved RFCs included in one request.

$L^{F/O}$ = Total requested length of the feeder/outflow path(s) included in one request; for the sake of practicality, is assumed to be the distance as the crow flies.

Y^{RD} = Number of requested running days for the timetable period. A running day will only be taken into account for the priority calculation if it refers to a date with a published PaP offer for the given section.

K = The rate for priority

All lengths are counted in kilometres.

The method of applying this formula is:

in a first step the priority value (K) is calculated using only the total requested length of pre-arranged path (L^{PaP}) multiplied by the Number of requested running days (Y^{RD});

- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of the complete paths ($L^{PaP} + L^{F/O}$) multiplied by the number of requested running days (Y^{RD}) in order to separate the requests;
- if the requests cannot be separated in this way, a random selection is used to separate the requests. This random selection shall be defined in the CID.

If a “Network PaP” is involved in at least one of the conflicting requests:

- If the conflict is not on a “Network PaP”, the priority rule described above applies
- If the conflict is on a “Network PaP”, the priority is calculated according to the following formula:

$$K = (L^{\text{NetPaP}} + L^{\text{Other PaP}} + L^{\text{F/O}}) \times Y^{\text{RD}}$$

K = Priority value

L^{NetPaP} = Total requested length (in kilometres) of the PaP defined as “Network PaP” on either RFC included in one request.

$L^{\text{Other PaP}}$ = Total requested length (in kilometres) of the PaP (not defined as “Network PaP”) on either RFC included in one request.

$L^{\text{F/O}}$ = Total requested length of the feeder/outflow path(s) included in one request; for the sake of practicality, is assumed to be the distance as the crow flies.

Y^{RD} = Number of requested running days for the timetable period. A running day will only be taken into account for the priority calculation if it refers to a date with a published PaP offer for the given section.

The method of applying this formula is:

- in a first step the priority value (K) is calculated using only the total requested length of the “Network PaP” (L^{NetPaP}) multiplied by the Number of requested running days (Y^{RD})
- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of all requested “Network PaP” sections and other PaP sections ($L^{\text{NetPaP}} + L^{\text{Other PaP}}$) multiplied by the Number of requested running days (Y^{RD}) in order to separate the requests
- if the requests cannot be separated in this way, the priority value (K) is calculated using the total length of the complete paths ($L^{\text{NetPaP}} + L^{\text{Other PaP}} + L^{\text{F/O}}$) multiplied by the Number of requested running days (Y^{RD}) in order to separate the requests

If the requests cannot be separated in this way, a random selection is used to separate the requests. This random selection shall be defined in the CID.

ANNEX 2

Activities under the timetabling processes concerning pre-arranged paths and reserve capacity.

Date/period	Activity
X-19 – X-16	Preparation phase
X-16 – X-12	Construction phase
X-12 – X-11	Approval and publication
X-11	Publication of pre-arranged paths provided by the IMs/ABs and identification among them of the designated Network PaPs
X-11 – X-8	Application for the Annual Timetable
X-8	Deadline for submitting path requests
X-8 – X-7.5	Pre-booking phase
X-7.5	Forwarding requests with “flexible approaches” (e.g. Feeder/Outflow) “special treatments” and requests where the applicant has neither received the requested pre-arranged path nor accepted – if applicable – an appropriate alternative pre-arranged path to IMs/ABs
X-7.5	Possible return of some remaining (unused) pre-arranged paths to the competent IMs/ABs – based on the decision of the rail freight corridor Management Board – for use during the elaboration of the annual timetable by the IMs/ABs
X-7.5 – X-5.5	Path construction phase for the “flexible approaches”
X-5.5	Finalisation of path construction for requested “flexible approaches” by the IMs/ABs and delivering of the results to C-OSS for information and development of the draft timetable
X-5	Publication of the draft timetable for pre-arranged paths – including sections provided by the IMs/ABs for requested “flexible approaches” by the C-OSS – and for tailor-made alternatives in case the applicant has neither received the requested pre-arranged path nor accepted – if applicable – an appropriate alternative pre-arranged path
X-5 – X-4	Observations from applicants
X-4 – X-3.5	Post-processing and final allocation
X-7.5 – X-2	Late path request application phase
X-4 – X-1	Late path request allocation phase
X-4 – X-2	Planning (production) reserve capacity for ad-hoc traffic
X-2	Publication reserve capacity for ad-hoc traffic
X-2 – X+12	Application and allocation phase for ad hoc path requests
X+12 – X+15	Evaluation phase

2015.10.27

ANNEX 3

Evaluation of the allocation process

The process of capacity allocation on the rail freight corridor shall be evaluated throughout the allocation process, with a focus on continuous improvement of the working of the C-OSS. The evaluation shall take place after the major deadlines:

X-11: Publication of PaPs

X-8: Deadline for submitting path requests in the annual timetabling process

X-7.5: Deadline for treatment of PaP requests for the annual timetable by the C-OSS

X-2: Publication of reserve capacity for ad-hoc traffic

The evaluation shall be undertaken by the Management Board. Furthermore, the Management Board shall compile an annual evaluation report which includes recommendations for improvements of the capacity allocation process. The Annual report shall be addressed to the Executive Board.

The results of the monitoring shall be published by the Management Board, and to be included in the reporting as referred to in Article 19 of the Regulation.

The following basic indicators shall at least be evaluated using the methodology outlined below:

Indicator	Calculation formula	Timing
Volume of offered capacity	Km*days offered	At X-11 and X-2
Volume of requested capacity	Km*days requested	At X-8
Volume of requests	Number of requests	At X-8
Volume of capacity (pre-booking phase)	Km*days -(pre-booking phase)	At X-7.5
Number of conflicts	Number of requests submitted to the C-OSS which are in conflict with at least one other request	At X-8

2015.10.27

ANNEX 4

Specific rules and terms on capacity allocation applicable on parts of the rail freight corridor according to Art. 1(4)

This Annex will apply on the following parts of the rail freight corridor:

- Rotterdam-Antwerp, on the RFC “North Sea-Mediterranean”
- Mannheim-Miranda de Ebro, on the RFC “Atlantic”
- Munich-Verona, on the RFC “Scandinavian-Mediterranean”

For additional routes, the Management Board shall make a proposal to the Executive Board for approval.

The decision shall be published by the Management Board in accordance with Article 18 of the Regulation.

The timeline of Annex 2 shall be adapted as follows for the reserve capacity provided in accordance to Article 1(4):

- [X-4 – X-2: Planning (production) reserve capacity for ad-hoc traffic] shall be replaced by [Until X-11: Planning (production) reserve capacity]
- [X-2: Publication reserve capacity for ad-hoc traffic] shall be replaced by [X-11: Publication of reserve capacity]
- [X-2 – X+12: Application and allocation phase for ad hoc path requests] shall be replaced by [M-4 – M-1: Application for reserve capacity and start of allocation phase]

In its request, the applicant has to indicate the timetable period of the request. If one or several operation days (following the first day of operation) are part of subsequent timetable periods, the applicant may announce this in its request. The request may not exceed a period of 36 months.

The C-OSS must consider the request in all timetable periods concerned:

- For the first timetable period, the C-OSS has to allocate a path, if available;
- For subsequent timetable periods, the concerned IMs may conclude a framework agreement in compliance with Article 42 of Directive 2012/34/EU and Commission

2015.10.27


Implementing Regulation (EU) 2016/545 where possible.

Annex 4.B Table of deadlines

Date / Deadline	Date in X-System	Description of Activities
14 January 2019	X-11	Publication of PaP Catalogue
14 January 2019 – 28 January 2019	X-11 – X-10.5	Correction phase (corrections of errors to published PaPs)
8 April 2019	X-8	Last day to request a PaP
16 April 2019		Last day to inform applicants about the alternative PaP offer
22 April 2019	X-7.5	Last day for C-OSS to send PaP pre-booking information to applicants
1 July 2019	X-5	Publication of draft timetable
2 July 2019 – 2 August 2019	X-5 – X-4	Observations and comments from applicants
23 April 2019 – 21 October 2019	X-7.5 – X-2	Late path request application phase via the C-OSS
20 August 2019 – 18 November 2019	X-3.5 – X-1	Late path request allocation phase
19 August 2019	X-3.5	Publication of final offer
25 August 2019	X-2.5	Acceptance of final offer
15 October 2019	X-2	Publication of RC
15 December 2019	X	Timetable change
15 October 2019 – 13 December 2020	X-2 - X+12	Application and allocation phase for RC

Annex 4.C Map of Corridor Rhine - Alpine

Mentioned in Chapter 3.4.1.2



Annex 4.D Specialities on specific PaP sections on Corridor Rhine - Alpine

Mentioned in Chapter 3.4.1.2

Annex 4.D-1 Netherland; ProRail

Void

Annex 4.D-2 Belgium; Infrabel

Void

Annex 4.D-3 Germany; DB Netz AG

Basel Bad Rbf	For PaPs (including Feeder/Outflow and/or tailor-made constructions) ending or changing loco in Basel Bad Rbf there is a maximum train length of 620 meter applicable. This rule does not apply for Weil am Rhein.
---------------	---


Annex 4.D-4 Border Area Basel; DB Netz AG / SBB

Within the PaP offer 2020 all loco and system changes in the border area Basel are planned in Basel SBB RB. Those applicants who plan to change loco and/or system on the German side of the border mark it in the comment fields of the path request.


In the planning phase the changes stay in Basel SBB RB. The draft and final offer you will receive with a loco and/or system change in Basel SBB RB. The offer will be adapted as requested at the border harmonization in September.

Annex 4.D-5 Switzerland; SBB / BLS / trasse.ch

Basel – Chiasso / Luino



Basel – Domodossola II



Section	Parameter	Condition
Basel – Domodossola II / Chiasso / Luino Domodossola II / Chiasso / Luino - Basel	Operational point	The times shown on the operational points within Switzerland can only be deleted. It is neither foreseen to shift them between the operational points nor to add additional operational points
Stopping time in border shunting yard	Basel from / to France	standard 60 minutes / max 90 minutes
	Basel from / to Germany ➤ Loco change ➤ System change	standard 30 minutes / max 45 minutes standard 10 minutes / max 15 minutes
	Chiasso from / to Italy	standard 60 minutes / max 90 minutes

PaPs where the minimum gauge has to be exceeded

North – South

From	To	PaP ID	Min. parameter to be exceeded
Basel SBB RB D	Domodossola II	RFC01PaP01015	P/C 45/364
Basel SBB RB D	Domodossola II	RFC01PaP0055	P/C 45/364
Basel SBB RB D	Domodossola II	RFC01PaP0115 RFC01PaP0315	P/C 45/364
Basel SBB RB D	Domodossola II	RFC01PaP0045	P/C 45/364

South - North

from	To	PaP ID	Min. parameter to be exceeded
Domodossola II	Basel SBB RB D	RFC01PaP0256 RFC01PaP0056	P/C 45/364
Domodossola II	Basel SBB RB D	RFC01PaP0100	P/C 45/364
Domodossola II	Basel SBB RB D	RFC01PaP0040	P/C 45/364
Domodossola II	Basel SBB RB D	RFC01PaP0050	P/C 45/364

Two PaP-Numbers mentioned if offer has different departing times in Basel or Domodossola on different days.

Annex 4.D-6 Italy; RFI

Void

Annex 4.D-7 Coordination Germany-Italy-Switzerland (COGIS Paths)

DB Netz AG, SBB Infrastructure and RFI jointly developed a pilot with an offer of 6 harmonized fast freight-paths in both directions between Cologne and Gallarate / Milan. For these paths only, national allocation rules are applied. These paths are published in the PaP catalogue but do not have a status of a PaP.

Requests for these paths can be made via PCS or via the national booking tools. Applicants using the national tools, are asked to mark their requests as COGIS. Otherwise the request cannot be counted as COGIS request.

Annex 4.E Table of distances (PaP sections)

Mentioned in Chapter 3.4.1.3

IM	PaP section		Number of kilometres
	From	To	
Infrabel	Y. Schijn	Y. Oost Dr Aarschot	51.076
	Y. Dudzele	Y. Oost Dr Aarschot	147.961
	Y. Oost Dr Aarschot	Y. Rooierweg	50.800
	Y. Rooierweg	Y. Berneau	31.515
	Y Berneau	Montzen Gril N	17.080
	Montzen Gril N	Montzen Gril Q	1.070
	Montzen Gril Q	Montzen Frontière	6.721
ProRail	Maasvlakte	Kijfhoek	45.000
	Kijfhoek	Meteren	51.800
	Amsterdam Westhaven	Meteren	70.200
	Sloehaven (Vlissingen)	Meteren	154.200
	Meteren	Zevenaar Grens	63.000
DB Netz AG	Aachen West Grenze	Aachen West Pbf	5.510
	Aachen West Pbf	Dorsfeld	47.490
	Aachen West Pbf	Gremberg Personalwechselstation Süd	84.640
	Gremberg Personalwechselstation Nord	Aachen West Pbf	83.400
	Emmerich Grenze	Emmerich	11.800
	Emmerich	Oberhausen West Orm	61.540
	Oberhausen West Oro	Emmerich	61.110
	Oberhausen West Orm	Oberhausen West Orw	0.920

IM	PaP section		Number of kilometres
	From	To	
DB Netz AG	Oberhausen West Orm	Oberhausen West Oro	1.150
	Oberhausen West Orw	Gremberg Personalwechselstation Süd	71.460
	Gremberg Personalwechselstation Nord	Oberhausen West Orm	71.090
	Gremberg Personalwechselstation Süd	Mainz-Bischofsheim Mitte	183.140
	Mainz-Bischofsheim Westseite	Gremberg Personalwechselstation Nord	183.390
	Mainz-Bischofsheim Mitte	Mannheim-Friedrichsfeld	72.810
	Mannheim-Friedrichsfeld	Mainz-Bischofsheim Westseite	73.810
	Mannheim-Friedrichsfeld	Karlsruhe Gbf	51.060
	Karlsruhe Gbf	Offenburg Gbf Gr A	72.040
	Offenburg Gbf Gr A	Basel Bad Bf	118.870
	Basel Bad Bf	Basel SBB RB D	8.000
	Basel Bad Bf	Basel SBB RB D	8.000
SBB / BLS / trasse.ch	Basel SBB RB D	Brig (LBT)	204.000
	Basel SBB RB D	Brig (Scheiteltunnel)	209.000
	Brig	Domodossola II	46.000
	Basel SBB RB D	Chiasso Sm	280.000
	Basel SBB RB D	Luino	266.000
	Luino	Basel SBB RB G	266.000
	Chiasso Sm	Basel SBB RB G	280.000
	Domodossola II	Brig	46.000
	Brig (Scheiteltunnel)	Basel SBB RB G	209.000
	Brig (LBT)	Basel SBB RB G	204.000
	Basel SBB RB G	Basel Bad Bf	6.000

IM	PaP section		Number of kilometres
	From	To	
RFI	Domodossola II	Arona	50.500
	Domodossola II	Borgomanero	54.000
	Borgomanero	Novara	30.000
	Arona	Novara	35.700
	Arona	Gallarate	25.500
	Novara	Novara Boschetto	0.300
	Chiasso SM	Milano G.P.	48.600
	Milano G.P.	Milano SM	7.700
	Novara	Mortara	24.200
	Mortara	Alessandria	42.300
	Alessandria	Genova Borzoli	67.300
	Genova Borzoli	Genova V.M.	13.000
	Milano Sm	Milano R.do	6.500
	Milano R.do	Piacenza	59.000
	Milano R.do	Tortona	69.600
	Tortona	Ronco Scrivia	35.000
	Ronco Scrivia	Genova Marittima	25.000